

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method for displaying video streams, comprising:  
providing a video stream;  
duplicating the video stream to produce a duplicated video stream;  
modifying the duplicated video stream to produce a modified video  
stream; and  
displaying on a display screen the video stream along with the modified  
video stream to produce, wherein the modified video stream is in a picture-in-picture (PIP)  
window having the, to produce an appearance of a single or seamless video stream to a viewer of  
the display screen.
2. (Currently Amended) The method of ~~[[C]]~~claim 1, additionally further  
comprising overlaying, prior to the displaying, a first Program ID (PID) for the modified video  
~~Program-ID~~ stream onto a second PID for the video ~~Program-ID~~ stream.
3. (Currently Amended) The method of ~~[[C]]~~claim 1, additionally further  
comprising designating ~~[[the]]~~a location of the modified video ~~Program-ID~~ stream within the PIP  
window.
4. (Currently Amended) The method of ~~[[C]]~~claim 1, additionally further  
comprising positioning the PIP window within the display screen.
5. (Currently Amended) The method of ~~[[C]]~~claim ~~[[4]]~~3, wherein said the  
designating the location of the modified video stream comprises providing the modified video  
stream with information which determines the location within the PIP window of the modified  
video stream relative to the video stream.

6. (Currently Amended) The method of [[C]]claim 1, ~~additionally~~ further comprising synchronizing the modified video stream with the video stream.

7. (Currently Amended) The method of [[C]]claim 2, ~~additionally~~ further comprising synchronizing, prior to displaying, the modified video stream with the video stream.

8. (Currently Amended) The method of [[C]]claim 1, wherein ~~said~~ the display screen comprises a TV screen.

9. (Currently Amended) The method of [[C]]claim 1, wherein ~~said~~ the display screen comprises a computer screen.

10. (Currently Amended) The method of [[C]]claim 1, wherein ~~said~~ the modifying the duplicated video stream comprises removing at least one video element from the duplicated video stream.

11. (Currently Amended) The method of [[C]]claim 10, wherein ~~said~~ the removed at least one video element from the duplicated video stream allows a viewer to see more of the video stream.

12. (Currently Amended) The method of [[C]]claim 1, wherein ~~said~~ the modifying the duplicated video stream comprises adding at least one video element to the duplicated video stream.

13. (Currently Amended) The method of [[C]]claim 12, wherein ~~said~~ the added at least one video element to the duplicated video stream allows a viewer to see more of the video stream.

14. (Currently Amended) A machine-readable medium having stored thereon instructions for:

receiving a first video stream;

receiving a modified video stream; and

displaying on a display screen the first video stream along with the modified video stream ~~to produce~~, wherein the modified video stream is in a picture-in-picture (PIP) window having the, to produce an appearance of a single or seamless video stream to a viewer of the display screen.

15. (Currently Amended) An apparatus for displaying video streams, comprising:

means for receiving a first video stream;

means for receiving a second video stream comprising a modified first video stream;

means for displaying the first video stream on a display screen; and

means for displaying on the display screen the ~~modified first~~ video stream ~~to produce simultaneously with the second video stream~~, wherein the second video stream is in a picture-in-picture (PIP) window having the, to produce an appearance of a single or seamless video stream to a viewer of the display screen.

16. (Currently Amended) An apparatus for displaying at least two video streams, comprising:

a receiver for receiving a first video stream and a modified video stream;

and

a display screen for displaying the first video stream ~~and~~ simultaneously with the modified video stream, wherein the receiver is configured to combine and position the first video stream and the modified video stream such that an appearance of a single or seamless video stream is given when viewing the display screen.

17. (Currently Amended) A display screen, comprising:  
a displayed first video stream; and  
a displayed modified video stream ~~to produce, wherein the modified video stream is configured to be in a picture-in-picture (PIP) window, wherein said the modified video stream having been produced by modifying the first video stream, wherein the first video stream and the modified video stream are combined and positioned such that an appearance of a single or seamless video stream is given when viewing the display screen.~~

18. (Currently Amended) The display screen of [[C]]claim 17, wherein ~~said the modified video stream having been~~ is produced by removing at least one video element from the first video stream.

19. (Currently Amended) The display screen of [[C]]claim 17, wherein ~~said the modified video stream having been~~ is produced by adding at least one video element to the first video stream.

20. (New) The method of claim 1, wherein the video stream and the modified video stream are provided in a transport stream.

21. (New) The method of claim 20, wherein a positioning of the PIP window within the display screen comprises using a private data field in the transport stream.

22. (New) The method of claim 20, wherein controlling an activation of the PIP window within the display screen comprises using a private data field in the transport stream.

23. (New) The apparatus of claim 16, further comprising a parser, the parser being configured to separate the first video stream and the modified video stream.

24. (New) The apparatus of claim 23, wherein the parser comprises a program ID (PID) filter.

25. (New) A method for displaying video streams, comprising:  
providing at least two video streams;  
modifying at least one of the video streams to produce a modified at least one video stream; and  
displaying on a display screen one or more of the at least two video streams simultaneously with one or more of the modified at least one video stream, wherein the modified at least one video stream is in a picture-in-picture (PIP) window, the display screen giving the appearance of displaying a single or seamless video stream.

26. (New) The method of claim 25, wherein the at least two video streams are provided in a transport stream.

27. (New) The method of claim 26, wherein a positioning of the PIP window within the display screen comprises using a private data field in the transport stream.

28. (New) The method of claim 26, wherein controlling an activation of the PIP window within the display screen comprises using a private data field in the transport stream.

29. (New) The method of claim 25, wherein the modifying comprises duplicating at least one of the video streams to produce one or more duplicated video streams.

30. (New) A display method, comprising:  
providing a video stream and a modified video stream to a network from an originating location;  
receiving the video stream and the modified video stream from the network, the modified video stream being substantially related to the video stream, the modified video stream being created in the originating location, the originating location being remote from a display screen; and  
displaying on the display screen the video stream along with the modified video stream.
31. (New) The display method of claim 30, wherein the displaying on the display screen comprises using a picture-in-picture (PIP) window for the modified video stream.
32. (New) The display method of claim 30, wherein the network comprises the Internet.
33. (New) The display method of claim 30, wherein the display screen comprises a computer screen.
34. (New) The display method of claim 30, wherein the modified video stream is substantially related to the video stream by having at least one video element removed relative to the video stream.
35. (New) The display method of claim 30, wherein the modified video stream is substantially related to the video stream by having at least one video element added relative to the video stream.
36. (New) The display method of claim 30, wherein the originating location comprises a studio.